

FAST!
ITCHING
STOPS



Advanced Formula

SulfodeneHC[®]
Hydrocortisone

Anti-itch Lotion For Dogs & Cats

The medicine in non-stinging **SulfodeneHC**[®] has long been recognized as one of the most effective anti-itch ingredients available. And **SulfodeneHC**[®] has been specially formulated for dogs and cats to relieve itching and soothe inflamed and irritated skin. **SulfodeneHC**[®] is especially made to help heal red, raw, itchy hot spots caused by flea bites and/or allergies. The fast-acting, long-lasting **SulfodeneHC**[®] medicine actually goes under the inflamed skin layer to provide the kind of relief ordinary products can't. And because **SulfodeneHC**[®] isn't a shampoo you rinse away, its medicine keeps on working to speed your pet's comfort.

IMPORTANT USAGE INFORMATION

The way you use **SulfodeneHC**[®] on your pet is important to obtaining fast, long-lasting relief.

- 1. Apply at the first sign of itching or upon the first evidence of inflammation or a red, raw hot spot.** **SulfodeneHC**[®] starts working instantly to penetrate under the skin, stop the itch, help start the healing.
- 2. Clip hair from around affected area with blunt scissors, gently wash the area with an anti-bacterial soap or shampoo, then squeeze SulfodeneHC**[®] **out of the bottle's pinpoint applicator and directly onto the problem area.** **SulfodeneHC**[®] may also be squeezed onto a cotton-tipped swab, a soft, clean cloth or soft, disposable towel and then applied to the problem area. (To avoid dripping, don't squeeze bottle too hard.)
- 3. Apply up to 3 to 4 times daily for best results.** **SulfodeneHC**[®] can be applied anytime as needed but not more than 3 to 4 times each day. Apply up to 7 consecutive days for continuous relief.

DIRECTIONS FOR USE: First clip hair from around affected area with blunt scissors, and gently wash the area with an anti-bacterial soap or shampoo. Then apply **SulfodeneHC**[®] freely by squeezing product out of bottle's pinpoint applicator directly onto the affected area. If you prefer, apply **SulfodeneHC**[®] freely with an applicator such as cotton-tipped swab or a soft, clean cloth or soft, disposable towel. Apply not more than 3 to 4 times daily for up to 7 consecutive days. **SulfodeneHC**[®] is not harmful should your pet lick the problem skin area.

WARNINGS: For external use only. Avoid contact with eyes. If condition worsens or if symptoms persist for more than seven days or clear up and occur again within a few days, stop use of this product and do not begin use of any hydrocortisone product unless you have consulted a veterinarian. If condition covers a large area of your pet's body, consult a veterinarian before using this product. Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

ACTIVE INGREDIENT: 0.5% Hydrocortisone Acetate

For information, or in an emergency, call 1-800-234-2269



Manufactured for:
FARNAM PET PRODUCTS
A Division of Farnam Companies, Inc.
P.O. Box 34820 • Phoenix, Arizona 85067-4820
farnampet.com

Product Code: 7210
©2007 Farnam Companies, Inc. 07-1292

CENTRAL
Garden & Pet

SulfodeneHC[®]
Hydrocortisone

Anti-Itch Lotion

FOR DOGS & CATS

Concentrated Medicine Helps Heal:

- Raw, Red Hot Spots
- Inflammation
- Irritation
- Eczema

Powerful Yet Safe Medication
Odorless, Non-Greasy, Won't Sting

Net Weight 1.5 FL OZ (44 mL)



Sulfodene HC[®]
Hydrocortisone

Anti-Itch Lotion

FOR DOGS & CATS

Powerful Medicine to Stop Itching,
Help Heal Red, Raw Hot Spots



07-1292

1.5 FL OZ (44 mL)

SulfodeneHC[®]

Hydrocortisone

Anti-itch Lotion For Dogs & Cats

DIRECTIONS FOR USE: First clip hair from around affected area with blunt scissors, and gently wash the area with an anti-bacterial soap or shampoo. Then apply **SulfodeneHC[®]** freely by squeezing product out of bottle's pinpoint applicator directly onto the affected area. If you prefer, apply **SulfodeneHC[®]** freely with an applicator such as cotton-tipped swab or a soft, clean cloth or soft, disposable towel. Apply not more than 3 to 4 times daily for up to 7 consecutive days. **SulfodeneHC[®]** is not harmful should your pet lick the problem skin area.

WARNINGS: For external use only. Avoid contact with eyes. If condition worsens or if symptoms persist for more than seven days or clear up and occur again within a few days, stop use of this product and do not begin use of any hydrocortisone product unless you have consulted a veterinarian. If condition covers a large area of your pet's body, consult a veterinarian before using this product. Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

ACTIVE INGREDIENT: 0.5% Hydrocortisone Acetate



Manufactured for:
FARNAM PET PRODUCTS

A Division of Farnam Companies, Inc.
farnampet.com

For information, or in an emergency, call 1-800-234-2269

Product Code: 7210

©2007 Farnam Companies, Inc. 07-1292